



# Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/23/2023

2307OPT2570.10071

## SAMPLE NAME: Keif

Matrix: Concentrates & Extracts | Type: Kief  
Strain Name: Hybrid Blend | Classification: Hybrid

## CULTIVATOR/MANUFACTURER:

Business Name: Riggs Family Farms  
License: MED00000103DCDR00369521

Address: 12475 West Alice Avenue, El Mirage, AZ 85335

## SAMPLE DETAIL:

Batch Number:  
6127 6324 8009 2812

Date Received:  
07/19/2023

Batch Size:

External Lot ID:

Sample Size:

Other Information:

Unit Mass:  
g



Scan QR code to verify authenticity of results.

## CANNABINOID ANALYSIS SUMMARY

Total THC: 18.0252%  
Δ9-THC + (THCa \* 0.877)

Total Cannabinoids: 20.0577%  
CBD + CBDa + CBG + CBGa + CBN + Δ8-THC + Δ9-THC + THCa + THCv

Total CBD: ND  
CBD + (CBDa \* 0.877)

## SAFETY ANALYSIS SUMMARY

Pesticides:  Pass

Heavy Metals:  Pass

Moisture: Not Tested

Mycotoxins:  Pass

Residual Solvents:  Pass

Water Activity: Not Tested

Microbials:  Pass

Foreign Material: Not Tested

## TERPENE ANALYSIS SUMMARY

NOT TESTED

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589  
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



**OnPoint**  
LABORATORIES

# Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/23/2023

2307OPT2570.10071

## CANNABINOID TEST RESULTS: 07/19/2023

Method: HPLC

18.0252%	20.0577%
18.0252%	20.0577%
Total THC	Total Cannabinoids
ND	NT
ND	
Total CBD	Moisture (Q3)

Analyte	Qualifier	LOQ	Result	Result
		%	%	mg/g
THCa		0.0300	9.0594	90.594
Δ9-THC		0.0300	10.0801	100.801
Δ8-THC		0.0300	ND	ND
CBDa		0.0200	ND	ND
CBD		0.0200	ND	ND
CBN		0.0040	0.9182	9.182
CBG		0.0040	ND	ND
CBGa		0.0040	ND	ND
THCV		0.0040	ND	ND
Total THC			18.0252	180.2519
Total CBD			ND	ND
Total				

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589  
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



**OnPoint**  
LABORATORIES

# Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/23/2023

2307OPT2570.10071

**MICROBIALS TEST RESULTS:** 07/19/2023

Pass

Method: BioRad qPCR

Analyte	Qualifier	Limits/Units	Result	Final Result
		CFU/g	CFU/g	
E. Coli		100	<40.0000	Pass
Yeast & Mold	Q3		NR	NT

Analyte	Qualifier	Limits/Units	Result	Final Result
Salmonella		1g	Not Detected	Pass
Aspergillus fumigatus		1g	Not Detected	Pass
Aspergillus niger		1g	Not Detected	Pass
Aspergillus flavus		1g	Not Detected	Pass
Aspergillus terreus		1g	Not Detected	Pass

# OnPoint

LABORATORIES

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589  
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



**OnPoint**  
LABORATORIES

# Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/23/2023

2307OPT2570.10071

## PESTICIDES TEST RESULTS: 07/19/2023

Pass

Method: Agilent Ultivo LC/MS

Pesticides	Qualifier	LOQ	Limit	Result	Final Result	Pesticides	Qualifier	LOQ	Limit	Result	Final Result
		PPM	PPM	PPM				PPM	PPM	PPM	
Abamectin		0.2500	0.5000	ND	Pass	Hexythiazox	M2	0.5000	1.0000	ND	Pass
Acephate		0.2000	0.4000	ND	Pass	Imazalil		0.1000	0.2000	ND	Pass
Acequinocyl	M2	1.0000	2.0000	ND	Pass	Imidacloprid		0.2000	0.4000	ND	Pass
Acetamiprid		0.1000	0.2000	ND	Pass	Kresoxim Methyl		0.2000	0.4000	ND	Pass
Aldicarb		0.2000	0.4000	ND	Pass	Malathion		0.1000	0.2000	ND	Pass
Azoxystrobin		0.1000	0.2000	ND	Pass	Metalaxyl		0.1000	0.2000	ND	Pass
Bifenazate	V1M1	0.1000	0.2000	ND	Pass	Methiocarb		0.1000	0.2000	ND	Pass
Bifenthrin	M2	0.1000	0.2000	ND	Pass	Methomyl		0.2000	0.4000	ND	Pass
Boscalid		0.2000	0.4000	ND	Pass	Myclobutanil		0.1000	0.2000	ND	Pass
Carbaryl		0.1000	0.2000	ND	Pass	Naled	R1	0.2500	0.5000	ND	Pass
Carbofuran		0.1000	0.2000	ND	Pass	Oxamyl		0.5000	1.0000	ND	Pass
Chlorantraniliprole		0.1000	0.2000	ND	Pass	Paclobutrazol		0.2000	0.4000	ND	Pass
Chlorfenapyr	M2	0.5000	1.0000	ND	Pass	Permethrins	M2	0.1000	0.2000	ND	Pass
Chlorpyrifos		0.1000	0.2000	ND	Pass	Phosmet		0.1000	0.2000	ND	Pass
Clofentezine	M2	0.1000	0.2000	ND	Pass	Piperonyl Butoxide		1.0000	2.0000	ND	Pass
Cyfluthrin		0.5000	1.0000	ND	Pass	Prallethrin		0.1000	0.2000	ND	Pass
Cypermethrin		0.5000	1.0000	ND	Pass	Propoxur		0.1000	0.2000	ND	Pass
Daminozide		0.5000	1.0000	ND	Pass	Pyrethrins		0.5000	1.0000	ND	Pass
DDVP		0.0500	0.1000	ND	Pass	Propiconazole		0.2000	0.4000	ND	Pass
Diazinon		0.1000	0.2000	ND	Pass	Pyridaben		0.1000	0.2000	ND	Pass
Dimethoate		0.1000	0.2000	ND	Pass	Spinosad		0.1000	0.2000	ND	Pass
Ethoprophos		0.1000	0.2000	ND	Pass	Spiromesifen		0.1000	0.2000	ND	Pass
Etofenprox	M2	0.2000	0.4000	ND	Pass	Spirotetramat		0.1000	0.2000	ND	Pass
Etoxazole		0.1000	0.2000	ND	Pass	Spiroxamine		0.2000	0.4000	ND	Pass
Fenoxycarb		0.1000	0.2000	ND	Pass	Tebuconazole		0.2000	0.4000	ND	Pass
Fenpyroximate	M2	0.2000	0.4000	ND	Pass	Thiacloprid		0.1000	0.2000	ND	Pass
Fipronil		0.2000	0.4000	ND	Pass	Thiamethoxam		0.1000	0.2000	ND	Pass
Flonicamid		0.5000	1.0000	ND	Pass	Trifloxystrobin		0.1000	0.2000	ND	Pass
Fludioxonil		0.2000	0.4000	ND	Pass						

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589  
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



# Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/23/2023

2307OPT2570.10071

## MYCOTOXINS TEST RESULTS: 07/19/2023

Pass

Method: Agilent Ultivo LC/MS

Analyte	Qualifier	LOQ PPB	Limit PPB	Result PPB	Final Result
Ochratoxin A	R1	10.0000	20.0000	ND	Pass
Total Aflatoxins		10.0000	20.0000	ND	Pass



# OnPoint LABORATORIES

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589  
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



# Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/23/2023

2307OPT2570.10071

## HEAVY METALS TEST RESULTS: 07/19/2023

Pass

Method: Agilent 7800 ICP MS

Analyte	Qualifier	LOQ	Limit	Result	Final Result
		PPB	PPB	PPB	
Arsenic		200.00	400.00	<LOQ	Pass
Cadmium	V1	200.00	400.00	<LOQ	Pass
Lead		500.00	1000.00	<LOQ	Pass
Mercury	V1	600.00	1200.00	<LOQ	Pass



Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589  
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



**OnPoint**  
LABORATORIES

# Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/23/2023

2307OPT2570.10071

**SOLVENTS TEST RESULTS:** 07/19/2023

Pass

Method: Agilent Intuvo 9000 gas chromatography

Analyte	Qualifier	LOQ	Limit	Result	Final Result
		PPM	PPM	PPM	
Acetone	M1	500.0000	1000.0000	ND	Pass
Acetonitrile		205.0000	410.0000	ND	Pass
Benzene		1.0000	2.0000	ND	Pass
Butanes		2500.0000	5000.0000	ND	Pass
Chloroform		30.0000	60.0000	ND	Pass
Dichloromethane		300.0000	600.0000	ND	Pass
Ethanol		2500.0000	5000.0000	ND	Pass
Ethyl-Acetate		2500.0000	5000.0000	ND	Pass
Ethyl-Ether		2500.0000	5000.0000	ND	Pass
Heptane		2500.0000	5000.0000	ND	Pass
Hexanes		145.0000	290.0000	ND	Pass
Isopropanol		2500.0000	5000.0000	ND	Pass
Isopropyl-Acetate		2500.0000	5000.0000	ND	Pass
Methanol	M1	1500.0000	3000.0000	ND	Pass
Pentanes		2500.0000	5000.0000	ND	Pass
Propane		2500.0000	5000.0000	ND	Pass
Toluene		445.0000	890.0000	ND	Pass
Xylenes		1085.0000	2170.0000	ND	Pass

# OnPoint

LABORATORIES

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589  
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.