



First Class Funk Batter

Sample ID: 2509SHZ0162.0677
Strain: First Class Funk
Matrix: Concentrates & Extracts
Type: Batter/Badder
Extraction Method: Butane
Sample Size: ; Batch:

Harvested: 04/30/2024
Manufactured: 09/10/2025
Collected: 09/11/2025, 8:52am
Received: 09/11/2025
Completed: 09/17/2025
Batch#: 2237 5108 8340 2133

External Lot ID:

Client
White Mountain Health Center
Lic. # 00000083ESGB09219996
9420 W. Bell RD
Sun City, AZ 85351

Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	09/15/2025	Complete
Residual Solvents	09/15/2025	Pass
Microbials	09/15/2025	Pass
Mycotoxins	09/15/2025	Pass
Pesticides	09/15/2025	Pass
Heavy Metals	09/15/2025	Pass



Cannabinoids

Complete

87.42% Total THC	ND Total CBD	102.91% Total Cannabinoids (Q3)	NT Total Terpenes (Q3)
----------------------------	------------------------	---	----------------------------------

Analyte	LOD	LOQ	Result	Result
	mg/g	mg/g	%	mg/g
THCa	0.6	1.9	69.15	691.5
Δ9-THC	0.6	1.9	26.78	267.8
Δ8-THC	0.6	1.9	4.49	44.9
THCV	0.6	1.9	ND	ND
CBDa	0.6	1.9	ND	ND
CBD	0.6	1.9	ND	ND
CBDV	0.6	1.9	ND	ND
CBN	0.6	1.9	ND	ND
CBGa	0.6	1.9	ND	ND
CBG	0.6	1.9	2.49	24.9
CBC	0.6	1.9	ND	ND
Total THC			87.42	874.20
Total CBD			ND	ND
Total			>99	>990

Date Tested: 09/15/2025

Total THC = THCa * 0.877 + delta 9-THC; Total CBD = CBDa * 0.877 + CBD
SOP-068; HPLC- 20241030-v2.lcm

Pass Microbials	Pass Pesticides	Pass Heavy Metals	Pass Residual Solvents
---------------------------	---------------------------	-----------------------------	----------------------------------



Amir Kasem
Technical Laboratory Director
09/17/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Results from testing were obtained according to requirements from the quality assurance plan in accordance with Arizona state laws R9-17-404.05, also the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Any variances from these requirements, and the reason for the variance, will be documented in the case narrative. Values reported only relate to the sample as received. Steep Hill Arizona makes no claims to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Steep Hill Arizona Laboratory. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. RL = Reporting Limit, NT = Not Tested, ND = Non Detected, LOQ = Limit of Quantitation. Analysis of Terpenes, Moisture, Water Activity, Foreign Matter and Filth is not regulated by ADHS.



Steep Hill Arizona Lab
14620 N Cave Creek Rd
Phoenix, AZ 85022

(602) 960-6522
https://www.steepphillarizona.com/
Lic#

First Class Funk Batter

Sample ID: 2509SHZ0162.0677

Harvested: 04/30/2024

External Lot ID:

Client

Strain: First Class Funk

Manufactured: 09/10/2025

White Mountain Health Center

Matrix: Concentrates & Extracts

Collected: 09/11/2025, 8:52am

Lic. # 00000083ESGB09219996

Type: Batter/Badder

Received: 09/11/2025

9420 W. Bell RD

Extraction Method: Butane

Completed: 09/17/2025

Sun City, AZ 85351

Sample Size: ; Batch:

Batch#: 2237 5108 8340 2133

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin B1a	0.1563	0.4689	0.5	ND	Pass	Hexythiazox	0.3126	0.9377	1	ND	Pass
Acephate	0.1250	0.3751	0.4	ND	Pass	Imazalil	0.0625	0.1875	0.2	ND	Pass
Acetamiprid	0.0625	0.1875	0.2	ND	Pass	Imidacloprid	0.1250	0.3751	0.4	ND	Pass
Aldicarb	0.1250	0.3751	0.4	ND	Pass	Kresoxim Methyl	0.1250	0.3751	0.4	ND	Pass
Azoxystrobin	0.0625	0.1875	0.2	ND	Pass	Malathion	0.0625	0.1875	0.2	ND	Pass
Bifenazate	0.0625	0.1875	0.2	ND	Pass	Metalaxyl	0.0625	0.1875	0.2	ND	Pass
Bifenthrin	0.0625	0.1875	0.2	ND	Pass	Methiocarb	0.0625	0.1875	0.2	ND	Pass
Boscalid	0.1250	0.3751	0.4	ND	Pass	Methomyl	0.1250	0.3751	0.4	ND	Pass
Carbaryl	0.0625	0.1875	0.2	ND	Pass	Myclobutanil	0.0625	0.1875	0.2	ND	Pass
Carbofuran	0.0625	0.1875	0.2	ND	Pass	Naled	0.1563	0.4689	0.5	ND	Pass
Chlorantraniliprole	0.0625	0.1875	0.2	ND	Pass	Oxamyl	0.3126	0.9377	1	ND	Pass
Chlorfenapyr*	0.3126	0.9377	1	ND	Pass	Pacllobutrazol	0.1250	0.3751	0.4	ND	Pass
Chlorpyrifos	0.0625	0.1875	0.2	ND	Pass	Permethrins	0.0625	0.1875	0.2	ND	Pass
Clofentezine	0.0625	0.1875	0.2	ND	Pass	Phosmet	0.0625	0.1875	0.2	ND	Pass
Cyfluthrin*	0.3126	0.9377	1	ND	Pass	Piperonyl	0.6252	1.8755	2	ND	Pass
Cypermethrin	0.3126	0.9377	1	ND	Pass	Butoxide	0.0625	0.1875	0.2	ND	Pass
Daminozide	0.3126	0.9377	1	ND	Pass	Prallethrin	0.0625	0.1875	0.2	ND	Pass
Diazinon	0.0625	0.1875	0.2	ND	Pass	Propiconazole	0.1250	0.3751	0.4	ND	Pass
Dichlorvos*	0.0313	0.0938	0.1	ND	Pass	Propoxur	0.0625	0.1875	0.2	ND	Pass
Dimethoate	0.0625	0.1875	0.2	ND	Pass	Pyrethrins	0.3126	0.9377	1	ND	Pass
Ethoprophos	0.0625	0.1875	0.2	ND	Pass	Pyridaben	0.0625	0.1875	0.2	ND	Pass
Etofenprox	0.1250	0.3751	0.4	ND	Pass	Spinosad	0.0625	0.1875	0.2	ND	Pass
Etoxazole	0.0625	0.1875	0.2	ND	Pass	Spiromesifen	0.0625	0.1875	0.2	ND	Pass
Fenoxycarb	0.0625	0.1875	0.2	ND	Pass	Spirotetramat	0.0625	0.1875	0.2	ND	Pass
Fenpyroximate	0.1250	0.3751	0.4	ND	Pass	Spiroxamine	0.1250	0.3751	0.4	ND	Pass
Fipronil	0.1250	0.3751	0.4	ND	Pass	Tebuconazole	0.1250	0.3751	0.4	ND	Pass
Flonicamid	0.3126	0.9377	1	ND	Pass	Thiacloprid	0.0625	0.1875	0.2	ND	Pass
Fludioxonil	0.1250	0.3751	0.4	ND	Pass	Thiamethoxam	0.0625	0.1875	0.2	ND	Pass
						Trifloxystrobin	0.0625	0.1875	0.2	ND	Pass

Date Tested: 09/15/2025

SOP-070; LCMS- New-Method-01102025 .Jcm, SOP-121; GCMS- GC-PESTS-FINAL-12-17.qgm



Amir Kasem
Technical Laboratory Director
09/17/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Results from testing were obtained according to requirements from the quality assurance plan in accordance with Arizona state laws R9-17-404.05, also the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Any variances from these requirements, and the reason for the variance, will be documented in the case narrative. Values reported only relate to the sample as received. Steep Hill Arizona makes no claims to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Steep Hill Arizona Laboratory. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. RL = Reporting Limit, NT = Not Tested, ND = Non Detected, LOQ = Limit of Quantitation. Analysis of Terpenes, Moisture, Water Activity, Foreign Matter and Filth is not regulated by ADHS.



Steep Hill Arizona Lab
14620 N Cave Creek Rd
Phoenix, AZ 85022

(602) 960-6522
<https://www.steepphillarizona.com/>
Lic#

First Class Funk Batter

Sample ID: 2509SHZ0162.0677

Harvested: 04/30/2024

External Lot ID:

Client

Strain: First Class Funk

Manufactured: 09/10/2025

White Mountain Health Center

Matrix: Concentrates & Extracts

Collected: 09/11/2025, 8:52am

Lic. # 00000083E5GB09219996

Type: Batter/Badder

Received: 09/11/2025

9420 W. Bell RD

Extraction Method: Butane

Completed: 09/17/2025

Sun City, AZ 85351

Sample Size: ; Batch:

Batch#: 2237 5108 8340 2133

Microbials

Pass

Analyte	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
E. Coli	< 10 CFU/g	Pass
Salmonella	Not Detected in 1g	Pass

Date Tested: 09/15/2025

Aspergillus and Salmonella by Qpcr: SOP-703-AZ , E Coli by 3M Rapid Ecoli count plate: SOP-704-AZ

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	0.6667	2		ND	Tested
B2	0.6667	2		ND	Tested
G1	0.6667	2		ND	Tested
G2	0.6667	2		ND	Tested
Total Aflatoxins	3.3333	10	20	ND	Pass
Ochratoxin A	3.3333	10	20	ND	Pass

Date Tested: 09/15/2025

SOP-070; LCMS- New-Method-01102025 .lcm

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	72.3066	216.9197	400	ND	Pass
Cadmium	72.3066	216.9197	400	ND	Pass
Lead	180.7664	542.2993	1000	ND	Pass
Mercury	36.1533	108.4599	200	ND	Pass

Date Tested: 09/15/2025

SOP-072; ICPMS-Cannabis-DRC_HeKED-New Levels-update.mth



Amir Kasem
Technical Laboratory Director
09/17/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Results from testing were obtained according to requirements from the quality assurance plan in accordance with Arizona state laws R9-17-404.05, also the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Any variances from these requirements, and the reason for the variance, will be documented in the case narrative. Values reported only relate to the sample as received. Steep Hill Arizona makes no claims to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Steep Hill Arizona Laboratory. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. RL = Reporting Limit, NT = Not Tested, ND = Non Detected, LOQ = Limit of Quantitation. Analysis of Terpenes, Moisture, Water Activity, Foreign Matter and Filth is not regulated by ADHS.



Steep Hill Arizona Lab
14620 N Cave Creek Rd
Phoenix, AZ 85022

(602) 960-6522
<https://www.steephillarizona.com/>
Lic#

First Class Funk Batter

Sample ID: 2509SHZ0162.0677

Harvested: 04/30/2024

External Lot ID:

Client

Strain: First Class Funk

Manufactured: 09/10/2025

White Mountain Health Center

Matrix: Concentrates & Extracts

Collected: 09/11/2025, 8:52am

Lic. # 00000083ESGB09219996

Type: Batter/Badder

Received: 09/11/2025

9420 W. Bell RD

Extraction Method: Butane

Completed: 09/17/2025

Sun City, AZ 85351

Sample Size: ; Batch:

Batch#: 2237 5108 8340 2133

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
2-Propanol	219.8896	659.6687	5000	ND	Pass
Acetone	43.9779	131.9337	1000	ND	Pass
Acetonitrile	18.0309	54.0928	410	ND	Pass
Benzene	0.0880	0.2639	2	ND	Pass
Butanes	219.8896	659.6687	5000	ND	Pass
Chloroform	2.6387	7.9160	60	ND	Pass
Dichloromethane	26.3867	79.1602	600	ND	Pass
Ethanol	219.8896	659.6687	5000	ND	Pass
Ethyl-Acetate	219.8896	659.6687	5000	ND	Pass
Ethyl-Ether	219.8896	659.6687	5000	ND	Pass
Heptane	219.8896	659.6687	5000	ND	Pass
Hexanes	12.7536	38.2608	290	ND	Pass
Isopropyl-Acetate	219.8896	659.6687	5000	ND	Pass
Methanol	131.9337	395.8012	3000	ND	Pass
Pentanes	87.9558	263.8675	5000	ND	Pass
Toluene	39.1403	117.4210	890	ND	Pass
Xylenes + Ethyl Benzene	95.4321	286.2962	2170	ND	Pass

Steep Hill Arizona Lab

Date Tested: 09/15/2025

SOP-010; GC-MS- 20241217_RSA-updated cal points.qgm



Amir Kasem
Technical Laboratory Director
09/17/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Results from testing were obtained according to requirements from the quality assurance plan in accordance with Arizona state laws R9-17-404.05, also the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Any variances from these requirements, and the reason for the variance, will be documented in the case narrative. Values reported only relate to the sample as received. Steep Hill Arizona makes no claims to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Steep Hill Arizona Laboratory. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. RL = Reporting Limit, NT = Not Tested, ND = Non Detected, LOQ = Limit of Quantitation. Analysis of Terpenes, Moisture, Water Activity, Foreign Matter and Filth is not regulated by ADHS.



Steep Hill Arizona Lab
14620 N Cave Creek Rd
Phoenix, AZ 85022

(602) 960-6522
<https://www.steepphillarizona.com/>
Lic#

First Class Funk Batter

Sample ID: 2509SHZ0162.0677

Harvested: 04/30/2024

External Lot ID:

Client

Strain: First Class Funk

Manufactured: 09/10/2025

White Mountain Health Center

Matrix: Concentrates & Extracts

Collected: 09/11/2025, 8:52am

Lic. # 00000083ESGB09219996

Type: Batter/Badder

Received: 09/11/2025

9420 W. Bell RD

Extraction Method: Butane

Completed: 09/17/2025

Sun City, AZ 85351

Sample Size: ; Batch:

Batch#: 2237 5108 8340 2133

B 1	Potency testing, is below the limit of quantitation
B 2	Below the maximum allowable concentration
D 1	The limit of quantitation and the sample results were adjusted to reflect sample dilution
I 1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference
L 1	When testing for pesticides, fungicides, growth regulators, mycotoxins, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M 1	The recovery of the matrix spike was high, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M 2	The recovery of the matrix spike was low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M 3	Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M 4	The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample in subsection (K)(2) was within acceptance criteria
M 5	The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample
N 1	A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii)
R 1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria
R 2	The relative percent difference for a sample and duplicate exceeded the limit in subsection
V 1	The recovery from initial or continuing calibration verification standards is greater than the acceptance limits in subsection (H)(2) or (J)(1)(b) as applicable, but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q 1	Sample integrity was not maintained
Q 2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices
Q 3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317



Amir Kasem
Technical Laboratory Director
09/17/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Results from testing were obtained according to requirements from the quality assurance plan in accordance with Arizona state laws R9-17-404.05, also the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Any variances from these requirements, and the reason for the variance, will be documented in the case narrative. Values reported only relate to the sample as received. Steep Hill Arizona makes no claims to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Steep Hill Arizona Laboratory. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. RL = Reporting Limit, NT = Not Tested, ND = Non Detected, LOQ = Limit of Quantitation. Analysis of Terpenes, Moisture, Water Activity, Foreign Matter and Filth is not regulated by ADHS.