



Certificate of Analysis

PASSED



Batch #: 5345 5535 7577 6351
Harvest Date: 10/15/25
Production Method: Indoor
Total Amount: 10 gram










Lab ID: TE51022003-006
Ordered: 10/21/25
Sampled Date: 10/22/25
Sample Collection Time: 01:15 PM
Sample Size: 17.89 gram
Completed: 10/24/25

Riggs Family Farms

12475 West Alice Avenue
 El Mirage, AZ, 85335, US
License # : 00000083ESGB09219996

SAFETY RESULTS

MISC.

									
Pesticide PASSED	Heavy Metals PASSED	Microbial PASSED	Mycotoxins PASSED	Solvents NOT TESTED	Filtration/Foreign Material NOT TESTED	Water Activity NOT TESTED	Moisture Content NOT TESTED	Vitamin E NOT TESTED	Terpenes NOT TESTED



Cannabinoid

PASSED



Total THC
29.32%



Total CBD
0.03947%



Total Cannabinoids Q3
33.62%

	D9-THC	THCA	CBD	CBDA	CBG	CBGA	CBN	D8-THC	THCV	CBDV	CBC
%	4.732	28.03	ND	0.04500	0.1410	0.6720	ND	ND	ND	ND	ND
mg/g	47.32	280.3	ND	0.4500	1.410	6.720	ND	ND	ND	ND	ND
LOD	0.0001	0.0001	0.0001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.0001
LOQ	0.0001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
Qualifier	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 333, 540, 272, 331 **Weight:** 0.2071g **Extraction date:** 10/22/25 15:36:12 **Extracted by:** 333,410

Analysis Method : SOP.T.30.500, SOP.T.30.031, SOP.T.40.031
Analytical Batch : TE011119POT
Instrument Used : TE-004 "Blossom" (Flower) **Batch Date :** 10/21/25 13:15:19
Analyzed Date : 10/24/25 10:44:43

Dilution : 400
Reagent : 100625.R19; 101125.R01; 010825.R24; 091725.R11
Consumables : 947.162; 8000038072; 20240202; 030125CH01; 1010183912; 1; 1010243878; 291081312; 04402004; GD240003
Pipette : TE-059 SN:20A04528 (20-200uL); TE-064 SN:20B27672 (100-1000uL); TE-164 SN: 21H24198 (Isopropanol)

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with Photo Diode Array detector (HPLC-PDA) for analysis. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.031 for sample prep, SOP.T.40.031 for analysis on Shimadzu LC-20X0 series HPLCs). Potency results for cannabis flower products are reported on an "as received" basis, without moisture correction.



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AVERMECTINS (ABAMECTIN B1A)	ppm	0.017	0.25	0.5	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Casey

Lab Director

State License #
 00000024LCMD66604568
 ISO 17025 Accreditation #
 97164



Signature
 10/24/25



Certificate of Analysis

Riggs Family Farms
 12475 West Alice Avenue
 El Mirage, AZ, 85335, US
 License #: 00000083ESGB09219996

Sample: TE51022003-006
 Batch #: 5345 5535 7577 6351

Ordered: 10/21/25
 Sampled: 10/22/25
 Completed: 10/24/25

PASSED



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ACEPHATE	ppm	0.01	0.2	0.4	PASS	ND	
ACETAMIPRID	ppm	0.005	0.1	0.2	PASS	ND	
ALDICARB	ppm	0.014	0.2	0.4	PASS	ND	
AZOXYSTROBIN	ppm	0.005	0.1	0.2	PASS	ND	
BIFENAZATE	ppm	0.006	0.1	0.2	PASS	ND	
BIFENTHRIN	ppm	0.005	0.1	0.2	PASS	ND	
BOSCALID	ppm	0.005	0.2	0.4	PASS	ND	
CARBARYL	ppm	0.008	0.1	0.2	PASS	ND	
CARBOFURAN	ppm	0.005	0.1	0.2	PASS	ND	
CHLORANTRANILIPROLE	ppm	0.011	0.1	0.2	PASS	ND	
CHLORPYRIFOS	ppm	0.005	0.1	0.2	PASS	ND	
CLOFENTEZINE	ppm	0.01	0.1	0.2	PASS	ND	
CYPERMETHRIN	ppm	0.1	0.5	1	PASS	ND	
DAMINOZIDE	ppm	0.01	0.5	1	PASS	ND	
DIAZINON	ppm	0.006	0.1	0.2	PASS	ND	
DICHLORVOS (DDVP)	ppm	0.001	0.05	0.1	PASS	ND	
DIMETHOATE	ppm	0.006	0.1	0.2	PASS	ND	
ETHOPROPHOS	ppm	0.004	0.1	0.2	PASS	ND	
ETOFENPROX	ppm	0.006	0.2	0.4	PASS	ND	
ETOXAZOLE	ppm	0.004	0.1	0.2	PASS	ND	
FENOXYCARB	ppm	0.005	0.1	0.2	PASS	ND	
FENPYROXIMATE	ppm	0.004	0.2	0.4	PASS	ND	
FIPRONIL	ppm	0.006	0.2	0.4	PASS	ND	
FLONICAMID	ppm	0.009	0.5	1	PASS	ND	
FLUDIOXONIL	ppm	0.006	0.2	0.4	PASS	ND	
HEXYTHIAZOX	ppm	0.005	0.5	1	PASS	ND	
IMAZALIL	ppm	0.011	0.1	0.2	PASS	ND	
IMIDACLOPRID	ppm	0.008	0.2	0.4	PASS	ND	
KRESOXIM-METHYL	ppm	0.007	0.2	0.4	PASS	ND	
MALATHION	ppm	0.007	0.1	0.2	PASS	ND	
METALAXYL	ppm	0.004	0.1	0.2	PASS	ND	
METHIOCARB	ppm	0.004	0.1	0.2	PASS	ND	
METHOMYL	ppm	0.005	0.2	0.4	PASS	ND	
MYCLOBUTANIL	ppm	0.01	0.1	0.2	PASS	ND	
NALED	ppm	0.007	0.25	0.5	PASS	ND	
OXAMYL	ppm	0.008	0.5	1	PASS	ND	
PACLOBUTRAZOL	ppm	0.005	0.2	0.4	PASS	ND	
TOTAL PERMETHRINS	ppm	0.003	0.1	0.2	PASS	ND	
PHOSMET	ppm	0.01	0.1	0.2	PASS	ND	
PIPERONYL BUTOXIDE	ppm	0.005	1	2	PASS	ND	
PRALLETHRIN	ppm	0.013	0.1	0.2	PASS	ND	
PROPICONAZOLE	ppm	0.005	0.2	0.4	PASS	ND	
PROPOXUR	ppm	0.005	0.1	0.2	PASS	ND	
TOTAL PYRETHRINS	ppm	0.001	0.5	1	PASS	ND	
PYRIDABEN	ppm	0.004	0.1	0.2	PASS	ND	
TOTAL SPINOSAD	ppm	0.006	0.1	0.2	PASS	ND	
SPIROMESIFEN	ppm	0.008	0.1	0.2	PASS	ND	
SPIROTETRAMAT	ppm	0.006	0.1	0.2	PASS	ND	
SPIROXAMINE	ppm	0.004	0.2	0.4	PASS	ND	
TEBUCONAZOLE	ppm	0.004	0.2	0.4	PASS	ND	
THIACLOPRID	ppm	0.006	0.1	0.2	PASS	ND	
THIAMETHOXAM	ppm	0.006	0.1	0.2	PASS	ND	
TRIFLOXYSTROBIN	ppm	0.006	0.1	0.2	PASS	ND	
CHLORFENAPYR	ppm	0.027	0.5	1	PASS	ND	11
CYFLUTHRIN	ppm	0.015	0.5	1	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Casey

Lab Director



State License #
 00000024LCMD66604568
 ISO 17025 Accreditation #
 97164

Signature
 10/24/25



Certificate of Analysis

Riggs Family Farms
 12475 West Alice Avenue
 El Mirage, AZ, 85335, US
 License #: 00000083ESGB09219996

Sample: TE51022003-006
 Batch #: 5345 5535 7577 6351

Ordered: 10/21/25
Sampled: 10/22/25
Completed: 10/24/25

PASSED



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 410, 432, 272, 331 Weight: 1.032g Extraction date: 10/22/25 15:34:56 Extracted by: 410 Analysis Method: SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ Analytical Batch: TE011118PES Instrument Used: TE-118 "MS/MS Pest/Myco 1", TE-261 "UHPLC - Pest/Myco 1" Batch Date: 10/21/25 12:44:40 Analyzed Date: 10/23/25 15:03:34							

Dilution: 50
Reagent: 082525.R07; 093025.R10; 082525.R09; 101725.R11; 101525.R16; 102025.R21; 101425.R04
Consumables: 9479291.246; 8000038072; 030125CH01; 1009015070; 1010263778; GD240003
Pipette: TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL)

Pesticide screening is carried out using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC).

Analyzed by: 410, 432, 272, 331 Weight: 1.032g Extraction date: 10/22/25 15:34:56 Extracted by: 410 Analysis Method: SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.154.AZ Analytical Batch: TE011141VOL Instrument Used: N/A Batch Date: 10/22/25 15:47:06 Analyzed Date: 10/23/25 15:07:28							
--	--	--	--	--	--	--	--

Dilution: 50
Reagent: 082525.R07; 093025.R10; 082525.R09; 101725.R11; 101525.R16; 102025.R21; 101425.R04
Consumables: 9479291.246; 8000038072; 030125CH01; 1009015070; 1010263778; GD240003
Pipette: TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL)

Chlorfenapyr and Cyfluthrin analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC)



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
SALMONELLA SPP.					PASS	Not Detected in 1g	
ASPERGILLUS FLAVUS					PASS	Not Detected in 1g	
ASPERGILLUS FUMIGATUS					PASS	Not Detected in 1g	
ASPERGILLUS NIGER					PASS	Not Detected in 1g	
ASPERGILLUS TERREUS					PASS	Not Detected in 1g	
ESCHERICHIA COLI (REC)	CFU/g	10	10	100	PASS	ND	

Analyzed by: 331, 272 Weight: 1.0683g Extraction date: 10/23/25 09:30:02 Extracted by: 545,409,527 Analysis Method: SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208, SOP.T.40.209.AZ Analytical Batch: TE011137MIC Instrument Used: TE-234 "bioMérieux GENE-UP" Batch Date: 10/22/25 13:59:24 Analyzed Date: 10/24/25 10:52:47							
--	--	--	--	--	--	--	--

Dilution: 10
Reagent: 082925.29; 082925.36; 031725.24; 102325.R14
Consumables: 344XPM; 1008855960; 1008439554; 1009817562; 030125CH01; 1009015070; 1010243878
Pipette: TE-075 SN:RU31709; TE-053 SN:20E78952; TE-057 SN:21D58688; TE-058 SN:20C35427; TE-066 SN:20D56970; TE-069 SN:21B23920; TE-109 SN:20B18330; TE-256 Dispensette S Bottle Top Dispenser SN:20G36073; TE-258

Microbiological screening for bacterial and fungal identification via Polymerase Chain Reaction (PCR) methods consisting of sample DNA amplified via tandem PCR as a crude lysate without purification. (Methods: SOP.T.40.058.AZ for sample prep and screening for Salmonella and Aspergillus sp. via BioMérieux GENE-UP RT-PCR and SOP.T.40.209.AZ for quantitative plating of E. coli on 3M Rapid E. coli Petrifilm).

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Casey
 Lab Director

State License #
 00000024LCMD66604568
 ISO 17025 Accreditation #
 97164



Signature
 10/24/25



Certificate of Analysis

Riggs Family Farms
 12475 West Alice Avenue
 El Mirage, AZ, 85335, US
 License #: 00000083ESGB09219996

Sample: TE51022003-006
 Batch #: 5345 5535 7577 6351

Ordered: 10/21/25
 Sampled: 10/22/25
 Completed: 10/24/25

PASSED



Mycotoxins

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL AFLATOXINS	ppb	3.03	10	20	PASS	ND	
AFLATOXIN B1	ppb	3.03	10	20	PASS	ND	
AFLATOXIN B2	ppb	3.03	10	20	PASS	ND	
AFLATOXIN G1	ppb	3.03	10	20	PASS	ND	
AFLATOXIN G2	ppb	3.03	10	20	PASS	ND	
OCHRATOXIN A	ppb	3.03	10	20	PASS	ND	

Analyzed by: 410, 432, 272, 331 **Weight:** 1.032g **Extraction date:** 10/22/25 15:34:56 **Extracted by:** 410

Analysis Method: SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ
Analytical Batch: TE011142MYC
Instrument Used: N/A **Batch Date:** 10/22/25 15:47:36
Analyzed Date: 10/23/25 15:10:04

Dilution: 50
Reagent: 082525.R07; 093025.R10; 082525.R09; 101725.R11; 101525.R16; 102025.R21; 101425.R04
Consumables: 9479291.246; 8000038072; 030125CH01; 1009015070; 1010263778; GD240003
Pipette: TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL)

Aflatoxins B1, B2, G1, G2, and Ochratoxin A analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC). Total Aflatoxins (sum of Aflatoxins B1, B2, G1, G2) must be <20µg/kg. Ochratoxin must be <20µg/kg.



Heavy Metals

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ARSENIC	ppm	0.066	0.2	0.4	PASS	ND	
CADMIUM	ppm	0.066	0.2	0.4	PASS	ND	
LEAD	ppm	0.166	0.5	1	PASS	ND	
MERCURY	ppm	0.0333	0.1	0.2	PASS	ND	

Analyzed by: 398, 272, 331 **Weight:** 0.2026g **Extraction date:** 10/23/25 11:43:50 **Extracted by:** 398

Analysis Method: SOP.T.30.500, SOP.T.30.084.AZ, SOP.T.40.084.AZ
Analytical Batch: TE011149HEA
Instrument Used: TE-141 "Wolfgang", TE-260 "Ludwig", TE-307 "Ted" **Batch Date:** 10/23/25 10:24:55
Analyzed Date: 10/23/25 15:13:35

Dilution: 50
Reagent: 122624.28; 101725.R17; 102125.R01; 102325.R15; 010325.10; 092625.01; 090222.04
Consumables: 030125CH01; 1009015070; 1010243878; GD240003
Pipette: TE-063 SN:20C50490 (20-200uL); TE-110 SN:20B18338 (100-1000uL); TE-169 SN: 20B16352 (Nitric Acid)

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.084.AZ for sample prep by microwave digestion, and SOP.T.40.084.AZ for analysis by ThermoScientific iCAP RQ ICP-MS).

CONFIDENT CANNABIS QR

* Confident Cannabis sample ID: 2510KLAZ1177.5079

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Casey
 Lab Director



State License #
 00000024LCMD66604568
 ISO 17025 Accreditation #
 97164

Signature
 10/24/25